

# Package ‘apisensr’

September 6, 2023

**Title** Interface to 'episensr' for Sensitivity Analysis of  
Epidemiological Results

**Version** 1.0.0

**Description** API for using 'episensr', Basic sensitivity analysis of the observed relative risks adjusting for unmeasured confounding and misclassification of the exposure/outcome, or both. See <<https://cran.r-project.org/package=episensr>>.

**License** GPL-2

**Encoding** UTF-8

**Imports** shiny, golem, config, attempt, glue, htmltools, shinymaterial,  
shinyjs, rhandsontable, rmarkdown, ggraph, igraph

**Depends** R (>= 4.0.0), ggplot2 (>= 3.4.0), episensr (>= 1.3.0)

**RoxygenNote** 7.2.3

**URL** <https://github.com/dhaine/apisensr>

**BugReports** <https://github.com/dhaine/apisensr/issues>

**Suggests** testthat, rlang, knitr

**VignetteBuilder** knitr

**NeedsCompilation** no

**Author** Denis Haine [aut, cre] (<<https://orcid.org/0000-0002-6691-7335>>)

**Maintainer** Denis Haine <[denis.haine@gmail.com](mailto:denis.haine@gmail.com)>

**Repository** CRAN

**Date/Publication** 2023-09-06 16:00:08 UTC

## R topics documented:

run_app . . . . .	2
<b>Index</b>	<b>3</b>

---

`run_app`*Run the Shiny Application*

---

**Description**

Runs the 'apisensr' Shiny application. This function does not return; interrupt R to stop the application (usually by pressing Ctrl+C or Esc).

**Usage**

```
run_app(...)
```

**Arguments**

```
...           Unused arguments.
```

**Examples**

```
## Not run:  
run_app()  
  
## End(Not run)
```

# Index

run\_app, [2](#)