

Package ‘jgsbook’

May 24, 2024

Type Package

Title Package of the German Book “Statistik mit R und RStudio” by
Joerg grosse Schlarmann

Description All datasets and functions used in the german book “Statistik mit R und RStudio” by grosse Schlarmann (2022) <<https://www.produnis.de/R/>>.

Version 1.0.5

Date 2024-05-24

Language de-de

License GPL (>= 2)

Depends R (>= 3.5.0)

Encoding UTF-8

Imports statip, jsonlite, httr, curl

LazyData true

RoxygenNote 7.3.1

NeedsCompilation no

Author Jörg große Schlarmann [aut, cre]

Maintainer Jörg große Schlarmann <schlarmann@produnis.de>

Repository CRAN

Date/Publication 2024-05-24 18:30:03 UTC

R topics documented:

epa	2
Faktorenbogen	3
freqTable	4
kenngroessen	4
KIbinomial_a	5
KIbinomial_u	5
KInormal_a	6
KInormal_u	7

lon.lat.osm	7
MarioANOVA	8
Messwiederholung	9
mma	9
Nachtwachen	10
nw	11
OrdinalSample	11
pairwise.chisq.test	12
pf8	12
Pflegeberufe	13
sens.spec	13
ztrans	14
Index	15

epa *Datatable of the epa Example*

Description

Datatable of the epa Example

Usage

`data(epa)`

Format

A data frame with 620 observations in 6 variables

Details

Variables in the dataset:

- `sex`. a factor with levels `m w d`, giving the proband's sex
- `age`. a numeric vector
- `cms`. a numeric vector
- `risk`. a dichotome vector, 0 = not at risk, 1 = at risk
- `expert`. a dichotome vector of expert's decision, 0 = not at risk, 1 = at risk
- `decu`. a dichotome vector, 0 = no decubitus, 1 = decubitus

Source

<https://www.produnis.de/R/>

Faktorenbogen

Datatable of the Faktorenbogen Example for factor analysis

Description

Datatable of the Faktorenbogen Example for factor analysis

Usage

```
data(Faktorenbogen)
```

Format

A data frame with 150 observations in 14 variables

Details

Variables in the dataset:

- gender. a factor with levels female male other, giving the proband's gender
- age. a numeric vector of proband's age in years
- A. Item A of the questionnaire, numeric
- B. Item B of the questionnaire, numeric
- C. Item C of the questionnaire, numeric
- D. Item D of the questionnaire, numeric
- E. Item E of the questionnaire, numeric
- F. Item F of the questionnaire, numeric
- G. Item G of the questionnaire, numeric
- H. Item H of the questionnaire, numeric
- I. Item I of the questionnaire, numeric
- J. Item J of the questionnaire, numeric
- K. Item K of the questionnaire, numeric
- L. Item L of the questionnaire, numeric

Source

<https://www.produnis.de/R/>

freqTable	<i>create a frequency table</i>
-----------	---------------------------------

Description

returns a frequency table with absolute and relative frequencies and cumulated frequencies

Usage

```
freqTable(werte)
```

Arguments

werte factor with observed data

Value

dataframe table

Examples

```
x <- ceiling(stats::rnorm(20))
freqTable(x)
```

kenngroessen	<i>create a tibble with kenngroessen</i>
--------------	--

Description

returns a tibble with all kenngroessen

Usage

```
kenngroessen(werte)
```

Arguments

werte numeric vector

Value

tibble with all kenngroessen

Examples

```
x <- ceiling(stats::rnorm(20))
kenngroessen(x)
```

KIbinomial_a	<i>compute confidence intervall for binomial proportions</i>
--------------	--

Description

returns borders and length of confidence intervall for binomial proportions

Usage

```
KIbinomial_a(p, n, alpha)
```

Arguments

p	proportion obeserved
n	number of observations
alpha	error niveau

Value

confidence intervall

Examples

```
KIbinomial_a(0.35, 150, 0.05)
```

KIbinomial_u	<i>compute confidence intervall for difference of binomial proportions</i>
--------------	--

Description

returns borders and length of confidence intervall for difference of binomial proportions

Usage

```
KIbinomial_u(p1, n1, p2, n2, alpha)
```

Arguments

p1	proportion obeserved in group 1
n1	number of observations in group 1
p2	proportion obeserved in group 2
n2	number of observations in group 2
alpha	error niveau

Value

confidence intervall

Examples

```
KIbinomial_u(0.25, 100, 0.4, 150, 0.05)
```

KInormal_a

compute confidence intervall for mean of normal distributed data

Description

returns borders and length of confidence intervall for mean of normal distributed data

Usage

```
KInormal_a(xquer, s, n, alpha)
```

Arguments

xquer	mean of obeserved data
s	standard deviation of observed data
n	number of observations
alpha	error niveau

Value

confidence intervall

Examples

```
KInormal_a(400, 20, 100, 0.05)
```

KInormal_u	<i>compute confidence intervall for mean of normal distributed data</i>
------------	---

Description

returns a data.frame with borders and length of confidence intervall for mean of normal distributed data

Usage

```
KInormal_u(x1, s1, n1, x2, s2, n2, alpha)
```

Arguments

x1	mean of obeserved data in group 1
s1	standard deviation of observed data in group 1
n1	number of observations in group 1
x2	mean of obeserved data in group 2
s2	standard deviation of observed data in group 2
n2	number of observations in group 2
alpha	error niveau

Value

data.frame of confidence intervall

Examples

```
KInormal_u(2.22, 0.255, 13, 2.7, 0.306, 10, 0.05)
```

lon.lat.osm	<i>get longitude and altitude from an address using OpenStreetMap's API at http://nominatim.openstreetmap.org</i>
-------------	--

Description

get longitude and altitude from an address using OpenStreetMap's API at <http://nominatim.openstreetmap.org>

Usage

```
lon.lat.osm(address = NULL)
```

Arguments

address a character of an address

Value

a data.frame containig "address", "lon", "lat"

Examples

```
lon.lat.osm("Eiffeltower")
```

MarioANOVA

Datatable of the SuperMario Example for Friedman-ANOVA

Description

Datatable of the SuperMario Example for Friedman-ANOVA

Usage

```
data(MarioANOVA)
```

Format

A data frame with 47 observations in 8 variables

Details

Variables in the dataset:

- Name. The characters' name
- Alter. The characters' age in years
- Kingdom. The characters' home
- Geschlecht. The characters' gender (männlich = male, weiblich = female)
- BadGuy. Whether the character is a bad guy, logical
- t1. Measure at time 1
- t2. Measure at time 2
- t3. Measure at time 3

Source

<https://www.produnis.de/R/>

Messwiederholung *Datatable of the Messwiederholung Example for ANOVA*

Description

Datatable of the Messwiederholung Example for ANOVA

Usage

```
data(Messwiederholung)
```

Format

A data frame with 200 observations in 4 variables

Details

Variables in the dataset:

- Name. The first name of the probands.
- t1. Measure at time 1
- t2. Measure at time 2
- t3. Measure at time 3

Source

<https://www.produnis.de/R/>

mma *Dataset of a work sampling study*

Description

Dataset of a work sampling study

Usage

```
data(mma)
```

Format

A data frame with 9768 observations in 6 variables.

Details

Variables in the dataset:

- day. a vector, giving the number of the observation day
- time. a factor giving the time of observation
- ward. a factor giving the ward under observation
- qual. a factor giving the qualification of the nurse
- category. a factor of qualification categories
- action. a factor giving the observed action

Source

<https://www.produnis.de/R/>

Nachtwachen

Dataset of the German Nachtwachen study

Description

Dataset of the German Nachtwachen study

Usage

`data(Nachtwachen)`

Format

A data frame with 276 observations in 37 variables.

Source

<https://www.produnis.de/R/>

nw	<i>Dataset of the German Nachtwachen study with labelled variables</i>
----	--

Description

Dataset of the German Nachtwachen study, labelled version

Usage

```
data(nw)
```

Format

A data frame with 276 observations in 37 variables.

Source

<https://www.produnis.de/R/>

OrdinalSample	<i>Datatable of an Ordinal Sample</i>
---------------	---------------------------------------

Description

Datatable of an Ordinal Sample

Usage

```
data(OrdinalSample)
```

Format

A data frame with 415 observations in 4 variables.

Details

Variables in the dataset:

- *Konflikt*. a numeric vector giving the potential of conflicts.
- *Zufriedenh*. a numeric vector giving the satisfaction of workers
- *Geschlecht*. a factor of proband's sex, 1 = male, 2=female
- *Stimmung*. an ordinal factor of proband's mood

Source

<https://www.produnis.de/R/>

`pairwise.chisq.test` *Pairwise Chi-Square Tests*

Description

This function performs pairwise Chi-Square tests for two factors.

Usage

```
pairwise.chisq.test(A, B, p.adjust.method = "bonferroni")
```

Arguments

`A` A factor with two levels. The first variable.
`B` A factor with two or more levels. The second variable.
`p.adjust.method` A string specifying the method for adjusting p-values. Default is "bonferroni".

Details

This function creates all possible pairs of levels of factor `B` and performs a Chi-Square test for each pair of `B` on variable `A`. The p-values are adjusted according to the specified method. #' This function is created for educational purposes only. For exact p-values, consider using `reporttools::pairwise.fisher.test()`.

Value

A data frame with the results of the pairwise Chi-Square tests. Includes the groups, Chi-Square statistic, degrees of freedom, p-values, adjusted p-values, and significance stars.

Examples

```
set.seed(123)
A <- factor(sample(c("Male", "Female"), 100, replace = TRUE))
B <- factor(sample(c("Location1", "Location2", "Location3"), 100, replace = TRUE))
pairwise.chisq.test(A, B, "holm")
```

`pf8` *Dataset of the PF8 example.*

Description

This is the dataset of the PF8 example.

Usage

```
data(pf8)
```

Format

A data frame with 731 observations in 16 variables.

Source

<https://www.produnis.de/R/>

Pflegerberufe

Matrix of Pflegerberufe by Isfort et al. 2018

Description

Matrix of Pflegerberufe by Isfort et al. 2018

Usage

```
data(Pflegerberufe)
```

Format

A matrix with 9 cols (years) and 5 rows (nursing profession).

Author(s)

Isfort et al. 2018 (Pflegethermometer)

Source

<https://www.produnis.de/R/>

sens.spec

compute sensitivity and specificity

Description

returns sensitivity specificity, negativ-predictive-value, positiv-predictive-value

Usage

```
sens.spec(rp, rn, fp, fn)
```

Arguments

rp	number of true-positive (richtig-positiv)
rn	number of true-negative (richtig-negativ)
fp	number of false-positive (falsch-positiv)
fn	number of false-negative (falsch-negativ)

Value

a data.frame with sens, spec, ppw, npw

Examples

```
sens.spec(40, 17, 85, 4)
```

ztrans

z-Transformation by given numbers, with $z = (x - \mu) / sd$

Description

z-Transformation by given numbers, with $z = (x - \mu) / sd$

Usage

```
ztrans(x, mu = 0, sd = 1)
```

Arguments

x	a value to transform
mu	the given mu
sd	the given standard deviation

Value

the z-transformed value

Examples

```
ztrans(120, mu=118, sd=20)
```

Index

* datasets

- epa, [2](#)
- Faktorenbogen, [3](#)
- MarioANOVA, [8](#)
- Messwiederholung, [9](#)
- mma, [9](#)
- Nachtwachen, [10](#)
- nw, [11](#)
- OrdinalSample, [11](#)
- pf8, [12](#)
- Pflegeberufe, [13](#)

epa, [2](#)

Faktorenbogen, [3](#)

freqTable, [4](#)

kenngroessen, [4](#)

KIbinomial_a, [5](#)

KIbinomial_u, [5](#)

KInormal_a, [6](#)

KInormal_u, [7](#)

lon.lat.osm, [7](#)

MarioANOVA, [8](#)

Messwiederholung, [9](#)

mma, [9](#)

Nachtwachen, [10](#)

nw, [11](#)

nw_labelled (nw), [11](#)

OrdinalSample, [11](#)

ordinalSample (OrdinalSample), [11](#)

pairwise.chisq.test, [12](#)

pf8, [12](#)

Pflegeberufe, [13](#)

sens.spec, [13](#)

ztrans, [14](#)