Package 'sphereML'

February 6, 2025

Type Package

Title Analyzing Students' Performance Dataset in Physics Education Research (SPHERE) using Machine Learning (ML)

Version 0.1.0

Maintainer Purwoko Haryadi Santoso <purwokoharyadisantoso@unsulbar.ac.id>

Description A simple package facilitating ML based analysis for physics education research (PER) purposes. The implemented machine learning technique is random forest optimized by item response theory (IRT) for feature selection and genetic algorithm (GA) for hyperparameter tuning. The data analyzed here has been made available in the CRAN repository through the 'spheredata' package. The SPHERE stands for Students' Performance in Physics Education Research (PER). The students are the eleventh graders learning physics at the high school curriculum. We follow the stream of multidimensional students' assessment as probed by some research based assessments in PER. The goal is to predict the students' performance at the end of the learning process. Three learning domains are measured including conceptual understanding, scientific ability, and scientific attitude. Furthermore, demographic backgrounds and potential variables predicting students' performance on physics are also demonstrated.

```
BugReports https://github.com/santosoph/sphereML/issues
```

```
URL https://github.com/santosoph/sphereML
```

License MIT + file LICENSE

Imports shiny, shinydashboard, spheredata, lavaan, semPlot, CTT, mirt, shinycssloaders, FSelectorRcpp, randomForest, caret, caTools, pROC, GA, readxl

Encoding UTF-8

RoxygenNote 7.3.2

NeedsCompilation no

Author Purwoko Haryadi Santoso [aut, cre] (https://orcid.org/0000-0002-7093-5309), Edi Istiyono [ctb], Haryanto Haryanto [ctb]

Depends R (>= 3.5.0)

2 start_sphereML

Repository CRAN

Date/Publication 2025-02-06 20:10:01 UTC

Contents

	start_sphereML .		2
Index			3
star	t_sphereML	Start a shiny application of sphereML	_

Description

An interactive Shiny application for running a machine learning analysis to the 'spheredata' package.

Usage

```
start_sphereML()
```

Details

This starts the application on the users local computer.

Value

A user interface of shiny application.

Examples

```
## Not run:
library(sphereML)
start_sphereML()
## End(Not run)
```

Index

start_sphereML, 2